

CHIMNEY  
PIECES  
AND  
OVERMANTELS

JOHN P. WHITE,  
THE PYGHTLE WORKS,  
BEDFORD.

ENTERED AT STATIONERS' HALL.

## TERMS.

---

When ordering, please state height and width of opening, if any special size stove is to be used, and also give the kind of wood you require the goods in.


Pine and Whitewood include for priming only; the Whitewood may be stained any colour, to match any wood, by arrangement.

Oak fumigated and slightly beeswaxed if desired without extra charge.

Packing cases and canvas charged and allowed for in full when returned in good condition, Carriage Paid. No charge made for packing.

Delivery to either L. & N.W.R. or Midland Vans as requested.

All claims for breakage or damage in transit must be made to Railway Company, who alone are responsible. Goods sent "Carriage Forward," the consignee is the contracting party, and the carriers will not recognise a claim from anyone else.



Design No. 1.

This Chimney Piece is made to fit stoves of any opening. The stove would require fixing flush with plastering.

|  |   |   |   |   |    |    |
|--|---|---|---|---|----|----|
| Price in Pine, painted                 | - | - | - | £ | s. | d. |
| do. Canary Whitewood                   | - | - | - | 1 | 2  | 6  |
| do. Oak, oiled or fumed and<br>brushed | - | - | - | 1 | 4  | 9  |
|  | - | - | - | 2 | 5  | 0  |

|   |   |   |   |   |    |    |
|---|---|---|---|---|----|----|
| Price in Mahogany, oiled                      | - | - | - | £ | s. | d. |
| do. Teak or Walnut                            | - | - | - | 2 | 5  | 0  |
| Add for polishing Mahogany, Teak<br>or Walnut | - | - | - | 0 | 9  | 0  |





Design No. 2.

This Chimney Piece is made so that the face of jamb will project 4" from face of plastering, unless otherwise ordered. This Chimney Piece can be made for any stove.

|  | £ | s. | d. |
|--|---|----|----|
| Price in Pine, painted - - -                       | 3 | 7  | 6  |
| do. Canary Whitewood - - -                         | 3 | 14 | 3  |
| do. Oak, oiled or fumigated and<br>beeswaxed - - - | 6 | 0  | 0  |

|   | £ | s. | d. |
|---|---|----|----|
| Price in Mahogany, oiled - - -                      | 6 | 0  | 0  |
| do. Teak or Walnut - - -                            | 6 | 12 | 0  |
| Add for polishing Mahogany, Teak<br>or Walnut - - - | 1 | 10 | 0  |





Design No. 3.

The stove for this Chimney Piece will require to be fixed flush with plastering, and can be made to any opening. The two centre panels could be left out for mirrors if desired.

|   |   |   |   |    |    |
|---|---|---|---|----|----|
| Price in Pine, painted                    | - | - | £ | s. | d. |
| do. Canary Whitewood                      | - | - | 2 | 7  | 0  |
| do. Oak, oiled or fumigated and beeswaxed | - | - | 3 | 3  | 6  |
|   | - | - | 5 | 5  | 0  |

|  |   |   |   |    |    |
|--|---|---|---|----|----|
| Price in Mahogany, oiled                   | - | - | £ | s. | d. |
| do. Teak or Walnut                         | - | - | 5 | 5  | 0  |
| Add for polishing Mahogany, Teak or Walnut | - | - | 1 | 10 | 0  |





Design No. 4.

The face of this jamb must project 6" from face of plastering to receive circular column on angle and circular moulding. The face of stove may be fixed 1" from face of plastering.

|  | £ | s. | d.     |
|--|---|----|--------|
| Price in Pine, painted                   | - | -  | 8 12 6 |
| do. Canary Whitewood                     | - | -  | 9 9 9  |
| do. Oak, oiled or fumed and<br>beeswaxed | - | -  | 15 0 0 |

|   | £ | s. | d.      |
|---|---|----|---------|
| Price in Mahogany, oiled                      | - | -  | 15 0 0  |
| do. Teak or Walnut                            | - | -  | 16 10 0 |
| Add for polishing Mahogany, Teak<br>or Walnut | - | -  | 1 10 0  |





Design No. 7.

This Chimney Piece is made for a stove built up in briquettes, the face of stove projecting 3" from plastering. It can be made for any stove to any opening. The jambs can be increased in width for taking Register stoves.

|  |   |   |   |   |    |    |
|--|---|---|---|---|----|----|
| Price in Pine, painted                     | - | - | - | £ | s. | d. |
| do. Carved White wood                      | - | - | - | 2 | 8  | 9  |
| do. Oak, carved or turned and<br>beeswaxed | - | - | - | 2 | 13 | 7  |
|  | - | - | - | 4 | 2  | 6  |

|   |   |   |   |    |   |
|---|---|---|---|----|---|
| Price in Mahogany, colored                    | - | - | 4 | 2  | 6 |
| do. Teak or Walnut                            | - | - | 4 | 10 | 9 |
| Add for polishing Mahogany, Teak<br>or Walnut | - | - | 0 | 15 | 0 |






Design No. 8.

This Chimney Piece is made to set flush with plastering, and can be made to any opening.

|                             |   |   |   |    |    |                                  |   |   |   |    |    |
|-----------------------------|---|---|---|----|----|----------------------------------|---|---|---|----|----|
| Price in Pine, painted      | - | - | £ | s. | d. | Price in Mahogany, oiled         | - | - | £ | s. | d. |
| do. Canary White wood       | - | - | 3 | 7  | 6  | do. Teak or Walnut               | - | - | 6 | 14 | 0  |
| do. Oak, oiled or fumed and | - | - | 3 | 14 | 3  | Add for polishing Mahogany, Teak | - | - | 7 | 8  | 6  |
| beeswaxed                   | - | - | 6 | 15 | 0  | or Walnut                        | - | - | 1 | 5  | 0  |





Design No. 9.

This Chimney Piece is made to fit a stove built up in briquettes, the face of brickwork projecting 4" from plastering. It can, however, be fixed to any stove.

|  | £ | s. | d.     |
|--|---|----|--------|
| Price in Pine, painted                       | - | -  | 2 1 3  |
| do. Canary White wood                        | - | -  | 2 5 4  |
| do. Oak, oiled or fumigated and<br>beeswaxed | - | -  | 3 15 0 |

|   | £ | s. | d.     |
|---|---|----|--------|
| Price in Mahogany, oiled                      | - | -  | 3 15 0 |
| do. Teak or Walnut                            | - | -  | 4 10 6 |
| Add for polishing Mahogany, Teak<br>or Walnut | - | -  | 0 12 0 |





Design No. 10.

This Chimney Piece is made to fix so that the stove is flush with plastering.

|  |   | £ s. d. |   |   | £ s. d. |
|--|---|---------|---|---|---------|
| Price in Pine, painted                   | - | 1 6 3   | Price in Mahogany, oiled                      | - | 2 8 9   |
| do. Canary White wood                    | - | 1 8 10  | do. Teak or Walnut                            | - | 2 13 7  |
| do. Oak, oiled or limed and<br>be snaved | - | 2 8 9   | Add for polishing Mahogany, Teak<br>or Walnut | - | 0 10 6  |





Design No. 11.

This Chimney Piece is made so that the face of stove is fixed flush with the face of plastering.

|  | £ | s | d  |  | £ | s | d |
|--|---|---|----|--|---|---|---|
| Piece in Pine, painted                   | - | - | 4  | Piece in Mahogany, oiled                       | - | - | 9 |
| do. Canary White wood                    | - | - | 4  | do. Teak or Walnut                             | - | - | 9 |
| do. Oak, oiled or varnished and beewaxed | - | 6 | 19 | do. Add for polishing Mahogany, Teak or Walnut | - | 2 | 5 |





Design No. 12.

This Chimney Piece is made for a stove to stand 2½" in front of plastering. The centre panel can be left for mirror if desired.

| Price | in Pine, painted                     | - | - | £  | s. | d. |
|-------|--------------------------------------|---|---|----|----|----|
| do.   | Canary White wood                    | - | - | 6  | 3  | 9  |
| do.   | Oak, oiled or fumed and<br>beeswaxed | - | - | 6  | 10 | 1  |
|       |                                      | - | - | 10 | 10 | 0  |

| Price in Mahogany, oiled                      | - | - | £  | s. | d. |
|---|---|---|----|----|----|
| do. Teak or Walnut                            | - | - | 10 | 10 | 0  |
| Add for polishing Mahogany, Teak<br>or Walnut | - | - | 1  | 12 | 6  |





Design No. 13.

This Chimney Piece is made for a stove to stand 2½" in front of plastering.

|  | £  | s. | d. |
|--|----|----|----|
| Price in Pine, painted                       | 7  | 13 | 0  |
| do. Canary Whitewood                         | 8  | 8  | 4  |
| do. Oak, oiled or fumigated and<br>boiswaxed | 12 | 15 | 0  |

|   | £  | s. | d. |
|---|----|----|----|
| Price in Mahogany, oiled                      | 12 | 15 | 0  |
| do. Teak or Walnut                            | 14 | 0  | 6  |
| Add for polishing Mahogany, Teak<br>or Walnut | 2  | 12 | 6  |





Design No. 14.

This Chimney Piece is made to stand 4" from plastering, unless otherwise ordered.

|                              |         |
|------------------------------|---------|
| Price in Pine, painted       | £ s. d. |
| do. Canary White wood        | 7 10 0  |
| do. Oak, white or fluted and | 8 5 0   |
| scrimed                      | 12 15 0 |

|                                  |         |
|----------------------------------|---------|
| Price in Mahogany, oiled         | £ s. d. |
| do. Teak or Walnut               | 12 15 0 |
| Add for polishing Mahogany, Teak | 14 0 0  |
| or Walnut                        | 7 10 0  |





Design No. 15.

This Chimney Piece can be made to fit stoves any size, the stove should project  $3\frac{1}{2}$ " from face of plastering; an Oxford front stove with tiles set on splay produces a very pleasing effect.

|  | £ | s. | d.     |   | £ | s. | d.     |
|--|---|----|--------|---|---|----|--------|
| Price in Pine, painted                       | - | -  | 2 3 0  | Price in Mahogany, oiled                      | - | -  | 4 10 0 |
| do. Canary Whitewood                         | - | -  | 2 9 6  | do. Teak or Walnut                            | - | -  | 4 19 0 |
| do. Oak, oiled or fumigated and<br>beeswaxed | - | -  | 4 20 0 | Add for polishing Mahogany, Teak<br>or Walnut | - | -  | 0 18 0 |





Design No. 16.

The stove for this Chimney Piece may be set flush with the face of plastering. This Chimney Piece is an exceedingly effective one for the price and helps to furnish a room, and can be made for stoves any size.

|                                 |   |   |   |    |   |                                  |   |   |   |    |   |
|---------------------------------|---|---|---|----|---|----------------------------------|---|---|---|----|---|
| Price in Pine, painted          | - | - | £ | s  | d | Price in Mahogany, oiled         | - | - | £ | s  | d |
| do. Canary White wood           | - | - | 3 | 15 | 0 | do. Teak or Walnut               | - | - | 7 | 10 | 0 |
| do. Oak, oil'd or varnished and | - | - | 4 | 2  | 6 | Add for polishing Mahogany, Teak | - | - | 8 | 5  | 0 |
| beeswaxed                       | - | - | 7 | 10 | 0 | or Walnut                        | - | - | 1 | 10 | 0 |





Design No. 17.

This Chimney Piece is suitable for any room, and can be made to fit stoves of any size opening. The stove should be fixed  $2\frac{1}{2}$ " from face of plastering. The width of jambs can be increased for Register stove if necessary.

|  |   |   |         |
|--|---|---|---------|
| Price in Pine, Painted                       | - | - | £ s. d. |
| do. Canary Whitewood                         | - | - | 1 17 6  |
| do. Oak, oiled or fumigated and<br>beeswaxed | - | - | 2 1 3   |
|  | - | - | 3 7 6   |

|   |   |   |         |
|---|---|---|---------|
| Price in Mahogany, oiled                      | - | - | £ s. d. |
| do. Teak or Walnut                            | - | - | 3 7 6   |
| Add for polishing Mahogany, Teak<br>or Walnut | - | - | 1 14 3  |
|   | - | - | 0 10 0  |





Design No. 18.

This Chimney Piece is very suitable for bedrooms, or a study; it is made so that the stove is fixed flush with the face of plastering.

|  | £ | s. | d.     |   | £ | s. | d.     |
|--|---|----|--------|---|---|----|--------|
| Price in Pine, painted                       | - | -  | 2 7 0  | Price in Mahogany, oiled                      | - | -  | 2 12 6 |
| do. Canary White wood                        | - | -  | 1 9 7  | do. Teak or Walnut                            | - | -  | 2 17 9 |
| do. Oak, oiled or fumigated and<br>beeswaxed | - | -  | 2 12 6 | Add for polishing Mahogany, Teak<br>or Walnut | - | -  | 0 10 6 |





Design No. 19.

The stove for this Chimney Piece can be fixed 1" from face of plastering. This is a good solid boxed-up Chimney Piece.

|   | £ | s. | d.    |
|---|---|----|-------|
| Price in Pine, painted                        | - | -  | 3 3 0 |
| do. Canary Whitewood                          | - | -  | 3 9 4 |
| do. Oak, oiled or fumigated and<br>de-stained | - | -  | 6 6 0 |

|   | £ | s. | d.     |
|---|---|----|--------|
| Price in Mahogany, oiled                      | - | -  | 6 6 0  |
| do. Teak or Walnut                            | - | -  | 6 18 6 |
| Add for polishing Mahogany, Teak<br>or Walnut | - | -  | 2 7 6  |





Design No. 20.

This stove can be fixed flush with plastering; it is advisable that marble slips should be used round the stove, and that the opening should be about 3' 8" wide by 3' 4" high.

|   |   |    |    |
|---|---|----|----|
| Price in Pine, painted                    | £ | s. | d. |
| do. Canary Whitewood                      | 5 | 12 | 6  |
| do. Oak, oiled or fumigated and beeswaxed | 6 | 3  | 9  |
|   | 9 | 0  | 0  |

|  |   |    |    |
|--|---|----|----|
| Price in Mahogany, oiled                   | £ | s. | d. |
| do. Teak or Walnut                         | 9 | 0  | 0  |
| Add for polishing Mahogany, Teak or Walnut | 9 | 18 | 0  |
|  | 1 | 5  | 0  |





---

DE MONTFORT PRESS, LEICESTER.